

**Table 4B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 1  
Run Date: 8 / 24 / 07

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Adams Cty	465	83.2	0.2	9.5	0.2	0.0	6.0	0.9
Ashland	674	65.0	0.0	2.7	23.0	0.6	8.8	0.0
Barron	1,092	84.0	3.6	8.7	0.8	0.5	1.4	1.1
Bayfield C	377	60.5	0.5	4.0	26.0	0.0	8.8	0.3
Brown	6,266	41.0	4.4	34.7	7.1	7.5	4.9	0.3
Buffalo	283	89.4	0.0	6.7	0.7	0.0	2.1	1.1
Burnett	559	60.1	0.5	3.2	16.1	0.0	19.5	0.5
Calumet	616	67.4	4.1	19.3	0.3	7.1	1.8	0.0
Chippewa	1,364	90.0	0.8	3.1	0.8	1.0	3.6	0.7
Clark	741	74.5	0.1	21.7	0.7	0.0	2.0	0.9
Columbia	820	76.7	0.9	16.6	0.1	0.4	5.0	0.4
Crawford C	334	93.4	0.6	2.4	0.0	0.3	2.1	1.2
Dane	6,631	26.5	20.8	35.8	0.2	7.1	9.4	0.3
Dodge	1,230	63.3	1.1	29.1	0.3	0.8	5.0	0.4
Door	453	78.8	2.4	14.6	0.9	0.7	2.2	0.4
Douglas Ct	1,169	80.8	1.2	3.1	1.8	0.5	12.2	0.4
Dunn	984	77.8	0.9	4.9	0.7	8.9	5.5	1.2
Eau Claire	2,246	65.7	0.9	8.3	0.4	10.9	12.9	0.9
Florence	122	95.1	0.0	4.1	0.0	0.0	0.8	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 2  
Run Date: 8 / 24 / 07

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Fond du La	1,891	63.5	3.1	23.4	0.0	3.6	6.2	0.1
Forest	369	72.6	0.3	2.7	15.7	0.3	8.1	0.3
Grant Cty	1,124	90.8	0.7	5.2	0.1	0.5	2.0	0.7
Green Cty	648	83.3	1.1	13.7	0.2	0.3	1.2	0.2
Green Lake	289	67.1	0.3	26.0	0.0	3.5	2.8	0.3
Iowa Cty	350	89.1	0.3	7.1	0.3	0.3	2.9	0.0
Iron Cty	105	92.4	1.9	1.0	0.0	0.0	3.8	1.0
Jackson	677	65.9	0.7	8.3	23.0	0.4	0.7	0.9
Jefferson	1,746	53.7	1.3	42.1	0.1	0.3	2.1	0.5
Juneau	826	88.1	0.1	5.4	0.4	1.2	4.6	0.1
Kenosha	3,972	36.9	17.1	39.1	0.1	0.7	5.7	0.4
Kewaunee	299	74.9	1.7	18.7	0.0	0.0	4.3	0.3
La Crosse	2,264	67.3	3.0	3.9	0.4	15.2	9.8	0.4
Lafayette	261	80.8	0.4	17.2	0.0	0.0	1.5	0.0
Langlade C	467	85.7	0.2	9.2	0.4	0.0	4.5	0.0
Lincoln Ct	439	87.9	1.1	3.9	0.2	0.2	6.2	0.5
Manitowoc	1,498	60.0	1.3	20.9	0.4	10.6	5.7	1.1
Marathon C	2,384	56.3	1.3	8.5	0.3	27.8	5.7	0.1
Marinette	1,074	94.1	0.3	2.6	0.7	0.6	1.5	0.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 3  
Run Date: 8 / 24 / 07

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Marquette	218	77.5	1.4	17.9	0.5	0.0	0.9	1.8
Menominee	563	0.5	0.0	10.7	74.6	0.0	12.6	1.6
Milwaukee	36,311	11.9	48.6	31.1	0.3	3.8	4.0	0.4
Monroe	957	79.2	1.6	15.6	0.7	0.5	1.9	0.5
Oconto	591	92.7	0.3	2.4	0.3	0.3	3.2	0.7
Oneida	573	93.5	0.3	2.8	0.3	0.2	2.6	0.2
Outagamie	2,559	54.6	2.0	22.2	0.9	14.7	5.3	0.3
Ozaukee	481	71.3	2.3	12.9	0.6	1.0	11.6	0.2
Pepin	102	85.3	0.0	6.9	2.9	0.0	4.9	0.0
Pierce	703	85.2	2.0	5.4	0.1	0.4	5.4	1.4
Polk	840	92.6	0.1	3.5	0.7	0.0	3.1	0.0
Portage	1,165	68.2	0.9	12.7	0.6	14.1	3.1	0.4
Price	457	91.9	0.2	1.3	0.7	3.7	1.8	0.4
Racine Cou	4,850	24.9	26.7	39.9	0.2	0.6	7.1	0.4
Richland C	312	89.4	0.3	8.3	0.3	0.0	1.3	0.3
Rock	3,814	55.6	11.1	26.9	0.1	1.1	4.5	0.6
Rusk	443	86.2	2.0	2.9	0.0	0.2	7.9	0.7
Sauk	1,281	76.8	1.7	16.0	4.0	0.2	1.2	0.1
Sawyer	597	51.4	2.0	3.7	37.7	0.7	3.5	1.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 4B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Racial and Ethnic Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 4  
Run Date: 8 / 24 / 07

<b>Comparison of Racial and Ethnic Distribution by County</b>								
<b>County</b>	<b>Number Included in Analysis (3)</b>	<b>White, Not Hispanic %</b>	<b>Black, Not Hispanic %</b>	<b>Hispanic %</b>	<b>American Indian/Alaskan Native %</b>	<b>Asian/Pacific Islander %</b>	<b>Multiple Races %</b>	<b>All Other / Unknown %</b>
Shawano	877	67.8	0.9	9.9	13.7	0.3	7.0	0.3
Sheboygan	2,166	46.5	2.4	28.5	0.0	17.7	4.7	0.2
St. Croix	1,055	80.5	2.2	8.8	0.4	3.1	4.4	0.7
Taylor	438	87.7	0.0	8.0	0.0	0.0	4.1	0.2
Trempealea	760	70.3	0.0	24.9	0.4	0.1	3.6	0.8
Vernon	659	87.1	0.6	7.9	0.3	0.2	3.6	0.3
Vilas	495	39.8	0.8	3.6	50.7	0.0	2.2	2.8
Walworth	1,895	43.1	1.0	51.4	1.2	0.6	2.7	0.1
Washburn	419	88.5	0.0	4.3	0.7	1.0	5.0	0.5
Washington	1,296	74.7	2.8	15.8	0.2	0.3	5.7	0.5
Waukesha	2,423	50.1	5.1	36.6	0.5	1.3	6.3	0.1
Waupaca	787	85.5	0.1	11.2	0.1	0.3	2.3	0.5
Waushara C	470	52.8	0.2	44.3	0.0	0.0	0.9	1.9
Winnebago	2,512	64.0	3.5	16.4	0.2	8.2	7.5	0.1
Wood	1,451	78.9	1.9	8.3	2.3	5.1	2.6	0.8
Unknown Counties	44	*	*	*	*	*	*	*
<b>Wisconsin</b>	<b>121,673</b>	<b>45.1</b>	<b>18.6</b>	<b>24.2</b>	<b>2.0</b>	<b>4.5</b>	<b>5.1</b>	<b>0.5</b>
<b>Nation (Prior Year)</b>	<b>7,117,562</b>	<b>32.3</b>	<b>18.5</b>	<b>37.7</b>	<b>1.0</b>	<b>2.5</b>	<b>1.0</b>	<b>7.0</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 1  
Run Date: 8 / 24 / 07

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months  %</b>	<b>12 - 23 Months  %</b>	<b>24 - 59 Months  %</b>
Adams Cty	465	35.9	20.2	43.9
Ashland	674	29.2	22.3	48.5
Barron	1,092	40.2	17.8	42.0
Bayfield C	377	33.4	19.1	47.5
Brown	6,266	32.2	21.2	46.6
Buffalo	283	35.0	21.2	43.8
Burnett	559	36.1	19.3	44.5
Calumet	616	32.1	22.4	45.5
Chippewa	1,364	37.0	18.3	44.7
Clark	741	35.9	20.5	43.6
Columbia	820	37.7	18.2	44.1
Crawford C	334	38.9	21.0	40.1
Dane	6,631	36.3	22.3	41.3
Dodge	1,230	37.6	19.3	43.1
Door	453	33.3	21.6	45.0
Douglas Ct	1,169	34.6	18.9	46.5
Dunn	984	36.3	17.7	46.0
Eau Claire	2,246	37.5	18.4	44.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 2  
Run Date: 8 / 24 / 07

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months  %</b>	<b>12 - 23 Months  %</b>	<b>24 - 59 Months  %</b>
Florence	122	30.3	17.2	52.5
Fond du La	1,891	33.6	21.7	44.7
Forest	369	33.3	17.9	48.8
Grant Cty	1,124	34.6	20.6	44.8
Green Cty	648	39.0	22.1	38.9
Green Lake	289	37.0	22.1	40.8
Iowa Cty	350	44.0	18.0	38.0
Iron Cty	105	32.4	13.3	54.3
Jackson	677	35.3	18.5	46.2
Jefferson	1,746	37.1	19.9	43.0
Juneau	826	37.5	17.6	44.9
Kenosha	3,972	38.4	20.2	41.4
Kewaunee	299	36.5	17.1	46.5
La Crosse	2,264	35.5	19.4	45.1
Lafayette	261	42.5	16.9	40.6
Langlade C	467	33.6	24.6	41.8
Lincoln Ct	439	37.1	18.2	44.6
Manitowoc	1,498	36.8	17.2	46.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 3  
Run Date: 8 / 24 / 07

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months  %</b>	<b>12 - 23 Months  %</b>	<b>24 - 59 Months  %</b>
Marathon C	2,384	35.9	21.1	43.1
Marinette	1,074	34.0	20.4	45.6
Marquette	218	35.8	19.7	44.5
Menominee	563	33.9	20.2	45.8
Milwaukee	36,311	36.4	20.4	43.2
Monroe	957	39.7	20.3	40.0
Oconto	591	40.3	15.1	44.7
Oneida	573	42.6	18.8	38.6
Outagamie	2,559	33.0	21.9	45.1
Ozaukee	481	37.0	19.5	43.5
Pepin	102	34.3	14.7	51.0
Pierce	703	34.1	19.1	46.8
Polk	840	43.8	16.4	39.8
Portage	1,165	40.3	16.5	43.3
Price	457	30.6	18.2	51.2
Racine Cou	4,850	38.3	19.1	42.6
Richland C	312	38.5	17.3	44.2
Rock	3,814	41.7	18.1	40.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 5B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 4  
Run Date: 8 / 24 / 07

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	<b>Number Included in Analysis (3,4)</b>	<b>0 - 11 Months  %</b>	<b>12 - 23 Months  %</b>	<b>24 - 59 Months  %</b>
Rusk	443	31.8	16.0	52.1
Sauk	1,281	39.7	16.7	43.6
Sawyer	597	34.5	22.6	42.9
Shawano	877	32.2	22.8	45.0
Sheboygan	2,166	35.3	21.5	43.2
St. Croix	1,055	40.3	19.1	40.7
Taylor	438	32.0	21.2	46.8
Trempealea	760	36.2	18.3	45.5
Vernon	659	34.0	20.3	45.7
Vilas	495	40.0	17.8	42.2
Walworth	1,895	40.2	19.2	40.6
Washburn	419	34.6	20.8	44.6
Washington	1,296	36.1	22.4	41.5
Waukesha	2,423	43.1	18.0	38.9
Waupaca	787	39.5	19.1	41.4
Waushara C	470	34.3	20.2	45.5
Winnebago	2,512	40.1	17.9	42.0
Wood	1,451	40.1	18.4	41.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5B**  
**2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Age Distribution by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 5  
Run Date: 8 / 24 / 07

<b>Comparison of Age Distribution by County</b>				
<b>County</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Unknown Counties	44	*	*	*
<b>Wisconsin</b>	<b>121,673</b>	<b>36.7</b>	<b>19.9</b>	<b>43.3</b>
<b>Nation (Prior Year)</b>	<b>7,117,562</b>	<b>35.3</b>	<b>22.0</b>	<b>42.6</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 1  
Run Date: 8 / 24 / 07

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adams Cty	104	11.5 (54)	5.8 (6)	457	5.7 (37)	3.5 (40)	15.3 (64)	205	16.1 (27)	16.6 (57)		324	7.7 (40)
Ashland	146	4.8 (3)	8.9 (35)	658	6.1 (49)	5.0 (60)	11.7 (25)	315	11.7 (7)	11.7 (20)		523	5.9 (29)
Barron	293	7.2 (18)	10.2 (44)	1,060	6.2 (55)	2.1 (10)	12.5 (35)	441	17.7 (45)	13.2 (36)		725	5.7 (27)
Bayfield C	85	* *	* *	360	7.2 (68)	7.2 (68)	12.8 (42)	173	19.1 (56)	12.1 (22)		282	3.9 (14)
Brown	1,522	7.6 (20)	8.7 (33)	6,095	5.0 (26)	4.5 (52)	12.3 (32)	2,855	14.7 (16)	12.7 (28)		4,590	5.5 (25)
Buffalo	65	* *	* *	279	3.6 (8)	1.4 (2)	10.8 (15)	121	17.4 (42)	15.7 (55)		195	13.8 (66)
Burnett	147	7.5 (19)	7.5 (19)	539	4.1 (12)	5.4 (64)	11.7 (25)	243	12.8 (8)	14.4 (51)		391	4.9 (21)
Calumet	160	10.6 (52)	8.8 (34)	604	6.1 (49)	3.5 (40)	10.4 (12)	276	18.1 (47)	12.7 (28)		447	4.7 (20)
Chippewa	342	7.6 (20)	8.5 (26)	1,352	4.9 (24)	4.0 (49)	9.7 (7)	595	14.3 (12)	9.4 (8)		1,005	2.8 (4)
Clark	179	12.3 (56)	6.7 (12)	725	5.5 (32)	3.0 (25)	16.0 (66)	315	15.9 (25)	20.6 (64)		530	11.1 (59)
Columbia	197	9.6 (41)	8.6 (30)	811	6.7 (63)	3.6 (42)	14.1 (55)	357	15.7 (24)	17.1 (58)		575	3.7 (13)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 2  
Run Date: 8 / 24 / 07

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)						
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Crawford C	86	* *	* *	329	6.7 (63)	3.3 (37)	13.4 (50)	135	15.6 (23)	11.1 (16)		235	9.8 (52)
Dane	1,771	8.0 (28)	8.5 (26)	6,430	5.5 (32)	2.8 (20)	12.5 (35)	2,715	14.4 (13)	11.3 (17)		4,656	10.2 (54)
Dodge	309	9.4 (40)	7.4 (18)	1,193	4.4 (19)	5.1 (62)	8.9 (5)	526	11.0 (4)	8.6 (6)		846	5.9 (29)
Door	110	1.8 (1)	8.2 (25)	448	3.3 (7)	3.1 (27)	8.7 (3)	210	18.6 (51)	12.4 (24)		333	4.5 (18)
Douglas Ct	250	5.2 (4)	9.6 (40)	1,159	4.1 (12)	4.3 (51)	11.6 (24)	540	18.1 (47)	13.7 (42)		797	13.0 (65)
Dunn	221	7.7 (23)	8.6 (30)	964	6.2 (55)	4.7 (55)	12.7 (39)	446	14.6 (15)	14.3 (48)		684	3.4 (11)
Eau Claire	558	6.1 (8)	9.5 (39)	2,208	5.8 (39)	2.0 (9)	11.5 (21)	964	14.5 (14)	11.9 (21)		1,653	11.0 (57)
Florence	23	* *	* *	117	6.8 (65)	1.7 (6)	10.3 (11)	61	* *	* *		90	* *
Fond du La	458	10.5 (49)	5.7 (3)	1,828	6.0 (46)	2.7 (16)	8.8 (4)	833	14.9 (19)	8.8 (7)		1,345	8.8 (44)
Forest	82	* *	* *	352	5.1 (27)	3.1 (27)	16.2 (67)	166	18.7 (52)	13.9 (43)		271	11.1 (59)
Grant Cty	256	6.6 (12)	10.9 (50)	1,112	3.1 (4)	4.9 (58)	9.8 (8)	498	14.7 (16)	12.7 (28)		833	5.3 (23)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 3  
Run Date: 8 / 24 / 07

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)											
<b>County</b>	<b>Birthweight (5)</b>			<b>Height and Weight</b>						<b>Anemia Low Hb/Hct (8)</b>	
	<b>Low</b>		<b>High</b>	<b>Short Stature (6)</b>			<b>Under- weight (7)</b>	<b>Over- weight (7)</b>	<b>≥ 2 Yrs Over- weight (7)</b>		
	<b>Number</b>	<b>% &lt;2500 g (Rank)</b>	<b>% &gt;4000 g (Rank)</b>	<b>Number</b>	<b>% &lt;5th (Rank)</b>	<b>% &lt;5th (Rank)</b>	<b>% ≥95th (Rank)</b>	<b>Number</b>	<b>% 85th- &lt;95th (Rank)</b>	<b>% ≥95th (Rank)</b>	<b>Number</b> <b>% (Rank)</b>
Green Cty	167	10.8 (53)	10.8 (49)	629	7.5 (70)	2.9 (22)	17.5 (68)	244	23.0 (65)	24.2 (67)	431      6.3 (33)
Green Lake	79	* *	* *	275	4.0 (11)	5.8 (66)	14.5 (59)	112	13.4 (9)	13.4 (37)	190      11.1 (59)
Iowa Cty	97	* *	* *	343	4.7 (22)	3.2 (32)	15.5 (65)	129	20.9 (62)	19.4 (62)	231      6.9 (35)
Iron Cty	20	* *	* *	99	* *	* *	* *	54	* *	* *	80      * *
Jackson	158	4.4 (2)	13.9 (55)	670	4.2 (16)	3.1 (27)	13.6 (52)	306	22.9 (64)	13.4 (37)	477      12.6 (64)
Jefferson	407	6.1 (8)	7.6 (21)	1,699	3.1 (4)	3.2 (32)	12.4 (34)	731	15.3 (20)	18.1 (61)	1,237      5.4 (24)
Juneau	207	8.7 (33)	9.2 (37)	807	5.8 (39)	3.0 (25)	13.3 (48)	362	20.2 (59)	10.2 (11)	579      7.3 (38)
Kenosha	1,091	9.0 (37)	6.1 (8)	3,844	7.3 (69)	3.2 (32)	14.5 (59)	1,631	16.9 (36)	15.2 (54)	2,670      22.0 (69)
Kewaunee	67	* *	* *	298	5.7 (37)	1.0 (1)	15.1 (62)	137	17.5 (44)	17.5 (59)	222      9.0 (46)
La Crosse	566	7.6 (20)	10.2 (44)	2,194	6.8 (65)	3.6 (42)	11.5 (21)	1,000	19.0 (54)	14.2 (47)	1,678      7.0 (36)
Lafayette	64	* *	* *	252	3.2 (6)	3.2 (32)	11.9 (30)	94	* *	* *	182      11.0 (57)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 4  
Run Date: 8 / 24 / 07

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)			Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Langlade C	113	8.8 (34)	12.4 (53)	454	4.8 (23)	1.5 (3)	12.6 (38)	200	15.5 (22)	9.5 (9)		353	1.4 (2)
Lincoln Ct	125	6.4 (11)	11.2 (51)	435	6.4 (59)	1.6 (4)	14.3 (56)	194	17.0 (39)	12.9 (33)		309	1.3 (1)
Manitowoc	327	8.0 (28)	8.0 (23)	1,466	5.8 (39)	1.8 (8)	13.0 (46)	661	19.4 (57)	14.7 (52)		1,079	10.7 (56)
Marathon C	598	6.0 (7)	5.7 (3)	2,339	8.8 (71)	2.3 (12)	12.9 (44)	1,018	17.0 (39)	12.3 (23)		1,747	3.0 (8)
Marinette	242	6.2 (10)	10.3 (46)	1,042	5.1 (27)	3.7 (46)	11.0 (18)	478	9.2 (1)	8.2 (4)		800	2.5 (3)
Marquette	51	* *	* *	209	2.4 (3)	9.1 (71)	9.1 (6)	90	* *	* *		150	11.3 (62)
Menominee	144	9.7 (43)	9.0 (36)	537	2.2 (1)	1.7 (6)	22.0 (71)	257	24.1 (66)	21.0 (65)		401	3.0 (8)
Milwaukee	9,448	9.7 (43)	6.1 (8)	35,420	5.8 (39)	4.5 (52)	12.0 (31)	15,398	16.6 (32)	13.1 (35)		25,265	16.2 (68)
Monroe	257	7.8 (26)	7.0 (15)	928	6.6 (61)	3.2 (32)	15.1 (62)	386	14.8 (18)	12.4 (24)		643	2.8 (4)
Oconto	153	8.5 (31)	5.2 (1)	578	6.1 (49)	4.2 (50)	18.7 (70)	260	18.8 (53)	19.6 (63)		412	7.8 (41)
Oneida	143	9.1 (38)	7.0 (15)	568	4.6 (21)	4.8 (57)	7.9 (1)	225	16.0 (26)	7.1 (2)		401	8.2 (42)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 5  
Run Date: 8 / 24 / 07

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)											
<b>County</b>	<b>Birthweight (5)</b>			<b>Height and Weight</b>						<b>Anemia Low Hb/Hct (8)</b>	
	<b>Low</b>		<b>High</b>	<b>Short Stature (6)</b>			<b>Under- weight (7)</b>	<b>Over- weight (7)</b>	<b>≥ 2 Yrs Over- weight (7)</b>		
	<b>Number</b>	<b>% &lt;2500 g (Rank)</b>	<b>% &gt;4000 g (Rank)</b>	<b>Number</b>	<b>% &lt;5th (Rank)</b>	<b>% &lt;5th (Rank)</b>	<b>% ≥95th (Rank)</b>	<b>Number</b>	<b>% 85th- &lt;95th (Rank)</b>	<b>% ≥95th (Rank)</b>	<b>Number</b> <b>% (Rank)</b>
Outagamie	656	10.5 (49)	7.3 (17)	2,447	6.4 (59)	4.9 (58)	12.3 (32)	1,145	18.3 (50)	15.0 (53)	1,670      9.1 (49)
Ozaukee	130	7.7 (23)	8.5 (26)	468	6.6 (61)	3.6 (42)	12.8 (42)	196	13.8 (10)	10.7 (13)	329      7.0 (36)
Pepin	27	* *	* *	101	6.9 (67)	7.9 (70)	13.9 (53)	50	* *	* *	72      * *
Pierce	160	5.6 (6)	5.6 (2)	690	5.5 (32)	2.6 (14)	11.0 (18)	326	16.6 (32)	11.3 (17)	515      9.7 (51)
Polk	247	8.9 (36)	5.7 (3)	823	4.3 (17)	4.7 (55)	8.0 (2)	332	18.1 (47)	6.6 (1)	566      8.8 (44)
Portage	297	6.7 (13)	10.1 (43)	1,142	6.3 (57)	3.1 (27)	11.7 (25)	483	15.3 (20)	13.0 (34)	799      4.6 (19)
Price	81	* *	* *	450	3.8 (9)	2.9 (22)	10.4 (12)	225	14.2 (11)	10.7 (13)	361      3.6 (12)
Racine Cou	1,306	8.1 (30)	6.7 (12)	4,720	6.0 (46)	2.7 (16)	14.0 (54)	2,004	16.6 (32)	14.3 (48)	3,327      9.0 (46)
Richland C	83	* *	* *	308	4.9 (24)	2.3 (12)	11.7 (25)	136	25.7 (67)	14.0 (45)	213      10.3 (55)
Rock	1,077	10.4 (48)	8.6 (30)	3,673	6.3 (57)	3.3 (37)	12.9 (44)	1,476	16.6 (32)	12.4 (24)	2,479      9.0 (46)
Rusk	88	* *	* *	434	5.3 (30)	1.6 (4)	12.7 (39)	224	16.5 (30)	13.4 (37)	343      4.4 (16)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 6  
Run Date: 8 / 24 / 07

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)		Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Sauk	312	6.7 (13)	9.6 (40)	1,249	6.1 (49)	2.6 (14)	12.5 (35)	547	19.4 (57)	14.1 (46)		890	9.2 (50)
Sawyer	147	5.4 (5)	13.6 (54)	588	4.3 (17)	3.7 (46)	10.2 (10)	248	19.0 (54)	10.9 (15)		430	5.6 (26)
Shawano	212	9.9 (45)	8.5 (26)	852	3.9 (10)	4.6 (54)	12.7 (39)	373	10.5 (2)	8.0 (3)		641	5.0 (22)
Sheboygan	557	7.0 (16)	6.6 (11)	2,119	5.6 (35)	5.6 (65)	10.8 (15)	931	16.3 (28)	12.4 (24)		1,552	4.4 (16)
St. Croix	282	9.6 (41)	10.6 (48)	1,026	6.1 (49)	2.7 (16)	11.3 (20)	414	17.9 (46)	10.4 (12)		719	2.8 (4)
Taylor	89	* *	* *	430	2.3 (2)	5.3 (63)	10.9 (17)	203	11.3 (5)	12.8 (32)		343	3.2 (10)
Trempealea	182	7.1 (17)	12.1 (52)	728	5.4 (31)	7.3 (69)	14.4 (58)	337	20.5 (60)	13.9 (43)		519	11.9 (63)
Vernon	129	11.6 (55)	16.3 (56)	651	5.1 (27)	3.7 (46)	13.5 (51)	293	17.4 (42)	16.0 (56)		485	5.8 (28)
Vilas	139	8.6 (32)	9.4 (38)	466	4.1 (12)	2.1 (10)	18.5 (69)	186	22.0 (63)	22.6 (66)		324	6.2 (32)
Walworth	487	8.8 (34)	8.0 (23)	1,850	5.9 (45)	3.1 (27)	11.5 (21)	756	17.1 (41)	14.3 (48)		1,269	7.6 (39)
Washburn	105	10.5 (49)	10.5 (47)	410	5.6 (35)	6.1 (67)	10.0 (9)	190	11.6 (6)	10.0 (10)		281	2.8 (4)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 7  
Run Date: 8 / 24 / 07

Comparison of Growth and Anemia Indicators by County (3,4)												
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature (6)		Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Washington	355	9.9 (45)	6.5 (10)	1,256	6.1 (49)	5.0 (60)	10.7 (14)	527	16.9 (36)	8.5 (5)	907	8.3 (43)
Waukesha	676	7.7 (23)	7.5 (19)	2,378	5.8 (39)	2.8 (20)	13.3 (48)	931	16.9 (36)	13.6 (41)	1,569	6.1 (31)
Waupaca	218	9.2 (39)	6.9 (14)	772	4.1 (12)	3.4 (39)	13.0 (46)	324	10.5 (2)	12.7 (28)	516	4.1 (15)
Waushara C	102	7.8 (26)	5.9 (7)	441	4.5 (20)	3.6 (42)	14.3 (56)	198	20.7 (61)	17.7 (60)	312	9.9 (53)
Winnebago	626	10.2 (47)	7.8 (22)	2,465	6.0 (46)	2.9 (22)	14.6 (61)	1,040	16.3 (28)	13.4 (37)	1,752	14.4 (67)
Wood	381	6.8 (15)	9.7 (42)	1,406	5.8 (39)	2.7 (16)	11.7 (25)	595	16.5 (30)	11.4 (19)	963	6.7 (34)
Unknown Counties	0	* *	* *	39	* *	* *	* *	20	* *	* *	32	* *
Wisconsin	31,039	8.6	7.6	118,548	5.7	3.8	12.4	51,667	16.3	13.0	85,045	10.4
Nation (Prior Year)	1,641,264	9.4	6.6	6,709,486	6.4	4.8	13.9	2,869,075	16.1	14.7	4,381,087	13.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 1  
Run Date: 8 / 24 / 07

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Adams Cty	104	59.6 (42)	58	* *	61	* *	31	* *	50	* *	216	84.3 (26)	454	31.5 (71)
Ashland	146	65.8 (26)	71	* *	99	* *	34	* *	53	* *	356	86.5 (13)	661	14.5 (50)
Barron	301	64.5 (31)	115	24.3 (18)	153	9.2 (33)	79	* *	79	* *	483	82.2 (36)	1,042	9.1 (16)
Bayfield C	84	* *	38	* *	51	* *	25	* *	27	* *	191	79.1 (49)	372	12.4 (39)
Brown	1,529	62.9 (34)	620	26.0 (16)	980	15.0 (8)	403	10.9 (15)	452	5.8 (16)	3,094	78.3 (53)	6,195	9.4 (19)
Buffalo	65	* *	22	* *	36	* *	18	* *	13	* *	134	85.8 (17)	274	10.2 (26)
Burnett	144	66.0 (25)	56	* *	85	* *	37	* *	36	* *	262	95.8 (1)	533	17.3 (55)
Calumet	161	62.7 (35)	53	* *	86	* *	41	* *	42	* *	297	82.5 (35)	608	9.9 (24)
Chippewa	341	65.7 (27)	132	22.7 (22)	180	9.4 (31)	74	* *	92	* *	642	86.1 (15)	1,353	11.2 (31)
Clark	179	68.7 (19)	91	* *	111	6.3 (37)	67	* *	80	* *	347	83.9 (28)	734	12.3 (38)
Columbia	197	68.5 (20)	98	* *	103	8.7 (34)	75	* *	65	* *	381	81.1 (43)	815	13.0 (43)
Crawford C	87	* *	34	* *	49	* *	21	* *	24	* *	148	84.5 (24)	330	10.0 (25)
Dane	1,767	74.6 (2)	747	43.6 (1)	994	22.9 (1)	525	14.1 (11)	552	12.9 (2)	2,916	84.1 (27)	6,518	8.1 (11)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 2  
Run Date: 8 / 24 / 07

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Dodge	317	70.7 (10)	134	31.3 (6)	146	17.1 (4)	113	24.8 (1)	106	17.9 (1)	557	85.5 (18)	1,208	9.1 (16)
Door	109	65.1 (29)	43	* *	79	* *	31	* *	36	* *	220	83.6 (29)	445	10.6 (29)
Douglas Ct	249	67.5 (22)	117	29.9 (10)	159	13.8 (15)	85	* *	99	* *	575	92.2 (2)	1,156	13.7 (48)
Dunn	224	68.8 (18)	100	23.0 (21)	123	10.6 (27)	73	* *	77	* *	479	76.0 (59)	956	7.5 (6)
Eau Claire	562	69.0 (16)	232	24.1 (19)	353	7.6 (36)	168	14.9 (8)	193	7.3 (10)	1,034	81.3 (40)	2,195	9.7 (20)
Florence	23	* *	12	* *	16	* *	8	* *	9	* *	63	* *	118	17.8 (58)
Fond du La	457	66.7 (23)	198	28.8 (12)	295	11.5 (25)	137	21.2 (3)	160	10.0 (4)	903	84.6 (22)	1,853	13.3 (47)
Forest	83	* *	33	* *	42	* *	27	* *	27	* *	196	70.4 (68)	366	29.2 (70)
Grant Cty	255	59.2 (43)	124	26.6 (14)	163	12.9 (18)	53	* *	70	* *	542	89.1 (6)	1,113	10.3 (28)
Green Cty	170	56.5 (49)	71	* *	104	14.4 (12)	47	* *	62	* *	276	87.0 (12)	628	19.3 (61)
Green Lake	80	* *	29	* *	31	* *	13	* *	18	* *	124	75.0 (62)	274	13.1 (44)
Iowa Cty	99	* *	49	* *	51	* *	33	* *	42	* *	138	81.2 (42)	338	11.5 (34)
Iron Cty	21	* *	15	* *	8	* *	10	* *	8	* *	59	* *	101	6.9 (5)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 3  
Run Date: 8 / 24 / 07

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Jackson	158	74.1 (5)	79	* *	99	* *	39	* *	48	* *	333	86.2 (14)	670	14.5 (50)
Jefferson	408	69.6 (12)	261	26.1 (15)	246	15.4 (6)	172	9.9 (18)	197	10.2 (3)	804	83.5 (30)	1,708	11.2 (31)
Juneau	205	68.3 (21)	102	28.4 (13)	110	11.8 (21)	71	* *	88	* *	392	84.9 (20)	803	21.9 (67)
Kenosha	1,096	56.3 (50)	360	20.8 (28)	549	8.7 (34)	271	10.7 (16)	268	6.7 (11)	1,744	81.3 (40)	3,845	18.4 (60)
Kewaunee	67	* *	31	* *	40	* *	19	* *	22	* *	152	74.3 (64)	299	9.7 (20)
La Crosse	561	71.5 (8)	241	32.4 (4)	295	13.9 (14)	157	15.3 (7)	167	9.0 (6)	1,089	84.8 (21)	2,246	5.3 (2)
Lafayette	63	* *	31	* *	32	* *	21	* *	28	* *	113	79.6 (48)	259	7.7 (8)
Langlade C	114	54.4 (53)	50	* *	81	* *	33	* *	35	* *	219	80.4 (45)	464	24.4 (69)
Lincoln Ct	123	58.5 (46)	39	* *	37	* *	33	* *	27	* *	211	85.3 (19)	437	20.8 (66)
Manitowoc	328	60.4 (39)	146	22.6 (23)	219	13.2 (17)	97	* *	126	5.6 (18)	719	73.2 (65)	1,454	19.7 (63)
Marathon C	596	52.5 (54)	274	17.2 (30)	331	10.9 (26)	168	11.9 (14)	171	6.4 (12)	1,094	79.1 (49)	2,363	10.2 (26)
Marinette	239	47.7 (56)	104	22.1 (25)	166	9.6 (30)	67	* *	86	* *	520	84.4 (25)	1,058	19.4 (62)
Marquette	52	* *	18	* *	30	* *	10	* *	11	* *	99	* *	209	14.8 (52)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 4  
Run Date: 8 / 24 / 07

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Menominee	143	65.7 (27)	55	* *	82	* *	27	* *	42	* *	275	89.1 (6)	538	14.1 (49)
Milwaukee	9,429	58.5 (46)	3,684	23.5 (20)	5,429	12.2 (19)	2,233	8.8 (20)	2,632	4.4 (21)	16,635	75.7 (61)	35,621	17.3 (55)
Monroe	270	69.3 (15)	90	* *	137	11.7 (22)	63	* *	66	* *	411	81.0 (44)	927	12.5 (41)
Oconto	151	49.0 (55)	57	* *	68	* *	49	* *	48	* *	277	76.2 (58)	584	20.2 (65)
Oneida	143	61.5 (37)	63	* *	85	* *	47	* *	54	* *	237	91.6 (3)	572	8.2 (12)
Outagamie	665	65.1 (29)	226	24.8 (17)	364	9.9 (29)	191	16.2 (6)	186	5.9 (14)	1,217	77.2 (57)	2,510	8.8 (13)
Ozaukee	130	74.6 (2)	43	* *	66	* *	36	* *	41	* *	221	76.0 (59)	461	9.8 (23)
Pepin	25	* *	7	* *	12	* *	4	* *	5	* *	53	* *	102	8.8 (13)
Pierce	160	63.1 (33)	63	* *	90	* *	50	* *	47	* *	346	88.4 (11)	679	9.7 (20)
Polk	248	73.8 (6)	98	* *	115	14.8 (10)	69	* *	74	* *	349	78.8 (52)	828	13.2 (45)
Portage	297	60.3 (40)	107	36.4 (2)	124	21.8 (2)	84	* *	79	* *	535	88.6 (8)	1,150	4.8 (1)
Price	81	* *	46	* *	60	* *	18	* *	28	* *	247	82.2 (36)	453	15.5 (53)
Racine Cou	1,311	56.0 (51)	476	22.1 (25)	636	11.6 (24)	311	10.3 (17)	348	5.7 (17)	2,164	74.7 (63)	4,712	12.4 (39)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 5  
Run Date: 8 / 24 / 07

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

	Breastfeeding (5)			Exclusive Breastfeeding (6)		≤2 Hours TV Viewing/Day (7)	Smoking in Household
County	Number  % Ever Breastfed  (Rank)	Number  % Breastfed At Least 6 Months (Rank)	Number  % Breastfed At Least 12 Months (Rank)	Number  % Breastfed At Least 3 Months (Rank)	Number  % Breastfed At Least 6 Months (Rank)	Number  %  (Rank)	Number  %  (Rank)
Richland C	82        *   *	35        *   *	38        *   *	16        *   *	27        *   *	143       78.3 (53)	311       9.0 (15)
Rock	1,080    54.7 (52)	408      20.6 (29)	547      11.7 (22)	236      9.3 (19)	258      4.3 (22)	1,591    88.5 (9)	3,733    13.2 (45)
Rusk	88        *   *	41        *   *	46        *   *	23        *   *	31        *   *	243      86.0 (16)	438      18.3 (59)
Sauk	311      74.6 (2)	151      31.8 (5)	163      16.6 (5)	121      20.7 (4)	121      9.1 (5)	591      90.9 (4)	1,266    46.4 (72)
Sawyer	146      61.6 (36)	60        *   *	84        *   *	38        *   *	45        *   *	271      83.4 (32)	580      12.8 (42)
Shawano	212      61.3 (38)	85        *   *	147      13.6 (16)	48        *   *	67        *   *	414      83.3 (33)	870      12.2 (37)
Sheboygan	557      63.2 (32)	238      30.3 (9)	355      14.4 (12)	175      12.6 (12)	201      5.5 (19)	998      77.7 (56)	2,157    11.0 (30)
St. Croix	284      71.5 (8)	123      30.9 (7)	149      14.8 (10)	99        *   *	101      5.9 (14)	445      73.0 (66)	1,016    7.6 (7)
Taylor	87        *   *	43        *   *	65        *   *	16        *   *	28        *   *	216      81.9 (38)	438      23.7 (68)
Trempealea	180      69.4 (14)	80        *   *	89        *   *	50        *   *	61        *   *	362      90.6 (5)	748      6.7 (3)
Vernon	129      69.0 (16)	71        *   *	92        *   *	44        *   *	50        *   *	323      88.5 (9)	647      7.9 (10)
Vilas	139      59.0 (44)	48        *   *	67        *   *	28        *   *	38        *   *	213      77.9 (55)	477      17.6 (57)
Walworth	490      77.6 (1)	234      34.6 (3)	259      15.1 (7)	176      23.3 (2)	200      6.0 (13)	810      81.5 (39)	1,854    6.8 (4)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7B**  
**2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 6  
Run Date: 8 / 24 / 07

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Washburn	105	72.4 (7)	48	* *	56	* *	33	* *	39	* *	201	84.6 (22)	411	7.8 (9)
Washington	354	70.1 (11)	133	30.8 (8)	231	12.1 (20)	105	14.3 (10)	119	7.6 (9)	570	83.5 (30)	1,268	11.8 (35)
Waukesha	677	69.6 (12)	309	29.4 (11)	318	17.6 (3)	238	14.7 (9)	264	8.0 (8)	1,002	80.2 (46)	2,379	9.3 (18)
Waupaca	217	59.0 (44)	82	* *	100	10.0 (28)	51	* *	63	* *	346	82.9 (34)	767	19.7 (63)
Waushara C	105	66.7 (23)	51	* *	60	* *	26	* *	31	* *	211	71.1 (67)	429	11.4 (33)
Winnebago	629	60.3 (40)	284	22.5 (24)	333	9.3 (32)	201	12.4 (13)	226	5.3 (20)	1,115	79.8 (47)	2,461	16.1 (54)
Wood	382	56.8 (48)	154	21.4 (27)	201	14.9 (9)	102	19.6 (5)	109	8.3 (7)	639	78.9 (51)	1,411	11.9 (36)
Unknown Counties	0	* *	5	* *	6	* *	2	* *	4	* *	20	* *	33	* *
Wisconsin	31,071	62.6	12,726	26.0	17,467	13.2	8,396	13.7	9,479	7.0	55,813	80.1	119,286	13.9
Nation (Prior Year)	1,515,954	58.5	751,259	24.3	869,342	17.7	101,887	13.6	136,891	6.8	343,170	64.7	1,120,034	16.9

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 1  
Run Date: 8 / 24 / 07

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)											
<b>County</b>	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)	
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Adams Cty	396	9.6 (66)	6.1 (2)	1,585	6.2 (60)	2.6 (12)	14.0 (59)	706	17.1 (39)	14.9 (58)	1,102 9.1 (43)
Ashland	439	5.2 (2)	12.5 (67)	2,016	5.3 (32)	5.2 (61)	12.5 (34)	979	10.5 (3)	12.6 (28)	1,487 6.9 (25)
Barron	757	7.3 (20)	9.9 (49)	3,089	6.0 (57)	2.3 (9)	11.9 (30)	1,374	17.7 (51)	13.5 (40)	2,145 6.2 (23)
Bayfield C	226	7.1 (15)	12.4 (66)	1,037	4.7 (24)	6.8 (69)	12.5 (34)	533	15.4 (24)	13.1 (37)	768 6.1 (22)
Brown	4,238	8.2 (40)	9.1 (36)	17,446	5.3 (32)	5.0 (59)	12.5 (34)	8,217	15.3 (20)	13.4 (39)	12,660 7.4 (32)
Buffalo	221	7.2 (18)	6.3 (4)	886	4.7 (24)	3.8 (43)	11.1 (13)	398	17.6 (48)	14.6 (53)	587 7.7 (36)
Burnett	319	8.2 (40)	10.3 (53)	1,317	4.3 (14)	4.7 (55)	10.6 (9)	639	13.1 (8)	12.7 (30)	922 3.8 (7)
Calumet	434	9.4 (62)	9.2 (39)	1,757	5.5 (39)	3.1 (27)	12.5 (34)	803	18.2 (54)	16.1 (65)	1,270 4.6 (10)
Chippewa	982	7.3 (20)	8.5 (27)	4,051	4.4 (16)	4.3 (51)	9.8 (6)	1,930	14.6 (16)	9.9 (8)	2,883 4.5 (9)
Clark	548	7.8 (26)	10.6 (58)	2,102	5.7 (48)	3.4 (37)	15.6 (66)	910	19.0 (62)	20.7 (71)	1,423 14.0 (66)
Columbia	576	8.3 (44)	9.9 (49)	2,247	5.6 (44)	3.3 (32)	12.5 (34)	991	17.5 (44)	15.5 (62)	1,537 7.2 (29)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 2  
Run Date: 8 / 24 / 07

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)		Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Crawford C	322	8.4 (49)	9.6 (44)	1,167	6.6 (65)	3.1 (27)	11.7 (24)	497	18.9 (61)	12.5 (26)		804	11.4 (55)
Dane	3,274	8.0 (34)	8.6 (29)	11,871	5.4 (35)	2.6 (12)	13.1 (45)	5,027	14.5 (15)	11.9 (21)		8,419	10.8 (53)
Dodge	957	8.5 (52)	6.1 (2)	3,804	4.2 (11)	5.5 (65)	8.9 (4)	1,719	11.3 (5)	9.5 (7)		2,802	5.1 (15)
Door	315	5.7 (3)	7.9 (18)	1,307	5.0 (28)	4.4 (52)	11.1 (13)	616	20.3 (67)	13.8 (42)		928	4.4 (8)
Douglas Ct	768	5.9 (5)	10.3 (53)	3,457	4.6 (22)	5.4 (64)	11.1 (13)	1,649	18.3 (57)	13.0 (36)		2,447	15.1 (68)
Dunn	649	6.6 (11)	8.8 (33)	2,691	5.5 (39)	4.1 (48)	12.7 (40)	1,259	16.8 (38)	15.3 (61)		1,860	4.6 (10)
Eau Claire	1,521	8.0 (34)	8.5 (27)	6,187	6.2 (60)	2.1 (6)	11.2 (16)	2,833	15.6 (26)	12.8 (32)		4,447	15.2 (69)
Florence	63	* *	* *	335	5.1 (29)	1.5 (2)	14.6 (61)	181	12.2 (6)	14.4 (51)		253	9.9 (51)
Fond du La	1,317	9.1 (59)	6.9 (9)	5,274	5.9 (55)	3.0 (22)	8.7 (2)	2,465	15.1 (19)	8.5 (2)		3,731	8.5 (39)
Forest	253	7.9 (30)	9.5 (41)	1,069	4.2 (11)	3.8 (43)	15.1 (63)	518	17.6 (48)	13.9 (47)		773	9.4 (44)
Grant Cty	791	6.1 (8)	10.9 (61)	3,468	3.9 (9)	4.8 (57)	10.7 (10)	1,578	16.2 (31)	13.8 (42)		2,479	5.0 (14)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 3  
Run Date: 8 / 24 / 07

<b>Comparison of Growth and Anemia Indicators by County</b> <sup>(3,4)</sup>											
<b>County</b>	Birthweight <sup>(5)</sup>			Height and Weight						Anemia Low Hb/Hct <sup>(8)</sup>	
	Low	High		Short Stature <sup>(6)</sup>	Under- weight <sup>(7)</sup>	Over- weight <sup>(7)</sup>		≥ 2 Yrs Over- weight <sup>(7)</sup>			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Green Cty	503	9.5 (63)	9.7 (47)	1,775	7.7 (71)	2.9 (16)	17.1 (69)	692	18.5 (58)	20.8 (72)	1,147 9.8 (48)
Green Lake	239	8.4 (49)	8.8 (33)	963	4.7 (24)	5.1 (60)	12.3 (32)	405	15.3 (20)	9.9 (8)	675 16.0 (70)
Iowa Cty	240	8.3 (44)	8.8 (33)	905	6.2 (60)	3.0 (22)	17.8 (72)	365	20.0 (66)	20.5 (69)	619 9.4 (44)
Iron Cty	78	* *	* *	332	4.5 (18)	6.0 (68)	16.9 (68)	161	13.0 (7)	14.9 (58)	240 6.7 (24)
Jackson	436	7.8 (26)	12.6 (68)	1,966	4.6 (22)	3.7 (42)	13.1 (45)	932	19.4 (64)	13.5 (40)	1,410 9.0 (42)
Jefferson	1,204	6.1 (8)	8.1 (21)	4,872	3.8 (7)	4.2 (49)	11.5 (21)	2,118	16.6 (35)	14.8 (57)	3,407 7.1 (27)
Juneau	499	7.8 (26)	9.6 (44)	2,137	5.1 (29)	3.5 (40)	12.5 (34)	1,003	17.3 (41)	11.4 (18)	1,503 7.4 (32)
Kenosha	2,944	8.9 (56)	7.3 (13)	10,774	7.7 (71)	2.3 (9)	15.1 (63)	4,736	18.0 (53)	15.9 (63)	7,387 16.9 (71)
Kewaunee	196	7.1 (15)	11.7 (63)	928	5.8 (53)	0.6 (1)	15.2 (65)	434	21.2 (69)	15.2 (60)	682 9.8 (48)
La Crosse	1,625	8.4 (49)	8.6 (29)	6,353	6.8 (68)	3.9 (45)	11.0 (12)	2,837	18.2 (54)	14.1 (49)	4,397 9.6 (46)
Lafayette	149	8.1 (38)	8.1 (21)	564	3.7 (6)	3.9 (45)	13.1 (45)	235	21.3 (70)	14.5 (52)	383 11.7 (56)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 4  
Run Date: 8 / 24 / 07

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)			Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Langlade C	368	9.5 (63)	12.0 (64)	1,407	4.5 (18)	2.2 (8)	11.4 (19)	596	13.9 (13)	8.6 (3)		1,002	1.7 (1)
Lincoln Ct	347	7.2 (18)	10.7 (60)	1,346	6.0 (57)	2.1 (6)	13.0 (43)	611	17.5 (44)	12.1 (23)		915	2.5 (3)
Manitowoc	1,053	8.0 (34)	8.2 (24)	4,251	6.1 (59)	2.6 (12)	13.2 (51)	1,939	19.0 (62)	14.6 (53)		2,991	17.1 (72)
Marathon C	1,684	8.2 (40)	7.0 (10)	6,776	8.4 (73)	2.0 (4)	13.2 (51)	3,033	17.1 (39)	12.7 (30)		4,844	2.8 (4)
Marinette	670	6.6 (11)	9.3 (40)	3,003	5.6 (44)	3.6 (41)	11.5 (21)	1,424	10.9 (4)	8.7 (4)		2,157	2.4 (2)
Marquette	140	7.1 (15)	7.1 (11)	578	2.4 (2)	9.3 (73)	8.7 (2)	261	7.3 (1)	7.3 (1)		391	12.8 (62)
Menominee	296	9.1 (59)	10.1 (52)	1,220	1.9 (1)	1.6 (3)	21.7 (73)	602	23.4 (73)	22.3 (73)		891	2.9 (5)
Milwaukee	26,755	9.9 (68)	6.6 (5)	102,047	5.4 (35)	5.5 (65)	11.7 (24)	46,340	16.1 (30)	12.9 (33)		71,113	18.3 (73)
Monroe	707	7.9 (30)	9.6 (44)	2,615	7.0 (69)	2.9 (16)	14.6 (61)	1,125	15.3 (20)	13.2 (38)		1,728	6.0 (20)
Oconto	429	11.4 (69)	6.8 (7)	1,675	6.3 (63)	3.4 (37)	17.3 (70)	768	18.6 (59)	16.7 (66)		1,162	11.9 (58)
Oneida	450	12.2 (70)	7.1 (11)	1,683	4.3 (14)	4.9 (58)	7.7 (1)	722	18.8 (60)	8.9 (5)		1,151	10.4 (52)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 5  
Run Date: 8 / 24 / 07

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Outagamie	1,828	8.8 (55)	7.9 (18)	6,897	6.4 (64)	4.5 (53)	13.3 (53)	3,199	18.2 (54)	15.9 (63)		4,773	7.6 (35)
Ozaukee	351	6.3 (10)	9.1 (36)	1,266	5.1 (29)	4.7 (55)	11.7 (24)	515	13.6 (11)	11.7 (19)		870	9.8 (48)
Pepin	48	* *	* *	243	4.5 (18)	7.4 (71)	15.6 (66)	124	21.0 (68)	20.2 (68)		173	5.8 (19)
Pierce	435	7.4 (23)	10.3 (53)	1,938	5.7 (48)	3.3 (32)	12.8 (41)	911	17.5 (44)	12.1 (23)		1,398	13.0 (64)
Polk	666	9.0 (58)	5.3 (1)	2,471	5.9 (55)	4.0 (47)	9.3 (5)	1,072	14.6 (16)	9.2 (6)		1,604	13.2 (65)
Portage	801	5.9 (5)	10.6 (58)	3,311	6.6 (65)	3.3 (32)	11.4 (19)	1,460	15.9 (29)	12.9 (33)		2,318	8.0 (38)
Price	253	5.9 (5)	9.5 (41)	1,291	3.5 (4)	2.9 (16)	11.5 (21)	662	16.2 (31)	10.6 (11)		985	4.6 (10)
Racine Cou	3,582	8.3 (44)	7.9 (18)	13,474	5.7 (48)	3.0 (22)	13.7 (55)	6,031	16.7 (37)	13.8 (42)		9,374	12.0 (60)
Richland C	218	6.9 (13)	12.8 (69)	845	5.6 (44)	3.0 (22)	13.5 (54)	367	22.9 (72)	14.7 (56)		580	12.8 (62)
Rock	3,011	9.7 (67)	8.6 (29)	10,527	5.7 (48)	4.5 (53)	12.3 (32)	4,366	14.4 (14)	11.7 (19)		7,066	10.8 (53)
Rusk	291	7.9 (30)	10.0 (51)	1,403	4.5 (18)	2.9 (16)	11.8 (28)	708	16.4 (34)	11.3 (15)		1,064	5.3 (18)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 6  
Run Date: 8 / 24 / 07

Comparison of Growth and Anemia Indicators by County (3,4)													
County	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)		Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Sauk	865	7.4 (23)	9.5 (41)	3,526	5.5 (39)	2.9 (16)	13.1 (45)	1,556	19.4 (64)	13.8 (42)		2,433	8.9 (41)
Sawyer	400	5.8 (4)	12.0 (64)	1,715	3.8 (7)	3.4 (37)	11.8 (28)	793	16.3 (33)	10.8 (12)		1,246	6.9 (25)
Shawano	626	7.5 (25)	9.7 (47)	2,638	4.0 (10)	2.8 (15)	13.0 (43)	1,240	13.5 (10)	11.0 (14)		1,850	7.1 (27)
Sheboygan	1,612	6.9 (13)	6.8 (7)	5,839	5.7 (48)	6.8 (69)	10.7 (10)	2,591	17.3 (41)	12.5 (26)		4,054	9.7 (47)
St. Croix	759	9.1 (59)	10.5 (57)	2,838	7.0 (69)	2.5 (11)	11.7 (24)	1,225	17.4 (43)	12.1 (23)		1,952	5.2 (16)
Taylor	282	4.3 (1)	10.3 (53)	1,245	3.5 (4)	5.9 (67)	10.0 (7)	585	10.4 (2)	11.3 (15)		890	4.9 (13)
Trempealea	507	7.3 (20)	11.2 (62)	1,993	4.4 (16)	8.3 (72)	11.2 (16)	926	15.4 (24)	10.0 (10)		1,399	11.7 (56)
Vernon	430	9.5 (63)	13.7 (70)	1,882	6.7 (67)	4.2 (49)	13.1 (45)	862	16.6 (35)	14.6 (53)		1,267	5.2 (16)
Vilas	333	8.1 (38)	8.7 (32)	1,327	3.3 (3)	2.0 (4)	17.6 (71)	600	21.3 (70)	20.5 (69)		875	7.2 (29)
Walworth	1,376	7.8 (26)	8.1 (21)	5,237	5.5 (39)	3.1 (27)	14.0 (59)	2,228	17.5 (44)	17.0 (67)		3,556	7.4 (32)
Washburn	278	8.3 (44)	8.3 (25)	1,155	5.3 (32)	5.3 (63)	11.3 (18)	539	13.4 (9)	11.3 (15)		778	3.5 (6)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**  
**Comparison of Growth and Anemia Indicators by County**  
**Children Aged < 5 Years** (2)

Page: 7  
Run Date: 8 / 24 / 07

<b>Comparison of Growth and Anemia Indicators by County</b> (3,4)											
<b>County</b>	<b>Birthweight (5)</b>			<b>Height and Weight</b>						<b>Anemia Low Hb/Hct (8)</b>	
	Low	High		Short Stature (6)	Under- weight (7)	Over- weight (7)		≥ 2 Yrs Over- weight (7)			
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number % (Rank)
Washington	992	8.3 (44)	7.7 (15)	3,728	4.9 (27)	5.2 (61)	10.5 (8)	1,644	15.7 (27)	10.8 (12)	2,617 8.8 (40)
Waukesha	2,001	8.0 (34)	7.8 (17)	7,076	5.4 (35)	3.0 (22)	12.8 (41)	2,939	17.6 (48)	13.9 (47)	4,709 6.0 (20)
Waupaca	596	8.2 (40)	7.7 (15)	2,347	4.2 (11)	3.3 (32)	13.8 (56)	1,054	13.6 (11)	12.9 (33)	1,609 7.8 (37)
Waushara C	314	8.6 (53)	6.7 (6)	1,232	5.4 (35)	3.2 (31)	13.1 (45)	554	17.7 (51)	14.1 (49)	873 11.9 (58)
Winnebago	1,861	8.9 (56)	7.6 (14)	7,141	5.8 (53)	3.3 (32)	13.9 (57)	3,079	15.3 (20)	12.6 (28)	4,986 15.0 (67)
Wood	1,108	7.9 (30)	9.1 (36)	4,076	5.5 (39)	2.9 (16)	11.9 (30)	1,821	14.8 (18)	11.9 (21)	2,802 7.2 (29)
Unknown Counties	2,835	8.7 (54)	8.3 (25)	9,582	5.6 (44)	3.1 (27)	13.9 (57)	4,090	15.7 (27)	13.8 (42)	6,314 12.5 (61)
<b>Wisconsin</b>	<b>89,037</b>	<b>8.6</b>	<b>8.0</b>	<b>344,576</b>	<b>5.5</b>	<b>4.2</b>	<b>12.3</b>	<b>154,902</b>	<b>16.2</b>	<b>13.1</b>	<b>240,337 11.9</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 1  
Run Date: 8 / 24 / 07

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Adams Cty	388	56.4 (58)	288	19.8 (63)	281	15.3 (33)	194	9.8 (51)	198	5.1 (42)	318	83.3 (21)	690	38.4 (72)
Ashland	470	63.0 (35)	339	31.6 (7)	354	20.6 (8)	183	22.4 (5)	192	18.8 (1)	472	84.3 (19)	860	25.2 (48)
Barron	878	63.7 (33)	568	21.5 (55)	579	13.0 (49)	319	11.0 (46)	307	3.6 (54)	622	82.0 (35)	1,373	21.4 (24)
Bayfield C	249	74.3 (5)	176	39.2 (2)	178	22.5 (6)	96	* *	92	* *	222	79.3 (48)	451	23.5 (36)
Brown	4,655	61.2 (45)	3,086	24.2 (32)	3,333	15.8 (29)	1,779	8.8 (53)	1,782	4.1 (50)	3,733	76.9 (55)	7,844	18.1 (11)
Buffalo	208	83.7 (1)	131	38.2 (4)	135	26.7 (4)	53	* *	50	* *	166	82.5 (30)	388	16.8 (8)
Burnett	357	61.6 (44)	205	21.0 (59)	210	8.6 (66)	131	23.7 (4)	117	11.1 (5)	334	94.3 (1)	591	29.1 (64)
Calumet	485	56.7 (57)	308	20.1 (61)	330	12.4 (54)	181	10.5 (47)	173	4.0 (51)	364	80.8 (40)	783	16.5 (5)
Chippewa	1,056	67.4 (20)	678	21.5 (55)	673	12.2 (56)	359	12.5 (35)	366	7.4 (24)	799	85.9 (12)	1,754	23.4 (35)
Clark	583	66.9 (22)	384	27.6 (18)	392	18.6 (14)	262	20.2 (13)	252	8.3 (20)	422	82.9 (24)	927	20.4 (18)
Columbia	655	70.5 (10)	435	22.3 (46)	409	10.3 (63)	226	17.7 (20)	216	7.9 (22)	471	80.5 (41)	1,050	25.5 (50)
Crawford C	335	63.9 (31)	214	22.0 (50)	201	19.4 (11)	129	18.6 (18)	123	6.5 (34)	266	82.7 (26)	532	22.4 (31)
Dane	4,730	71.4 (8)	2,751	38.7 (3)	2,477	21.6 (7)	1,848	17.9 (19)	1,722	11.5 (3)	3,714	82.9 (24)	7,065	15.6 (4)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 2  
Run Date: 8 / 24 / 07

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Dodge	1,085	74.7 (2)	700	28.6 (14)	669	15.2 (35)	400	18.8 (17)	392	9.7 (10)	729	85.6 (13)	1,716	23.6 (37)
Door	338	64.5 (29)	228	21.5 (55)	248	13.3 (45)	135	11.1 (45)	136	6.6 (32)	258	82.6 (27)	553	22.4 (31)
Douglas Ct	851	62.7 (37)	571	23.6 (38)	570	15.4 (32)	336	22.0 (6)	339	8.8 (17)	756	89.4 (4)	1,524	28.1 (59)
Dunn	700	61.7 (42)	438	25.1 (29)	431	14.2 (37)	261	26.4 (1)	245	13.1 (2)	636	75.8 (60)	1,198	18.9 (15)
Eau Claire	1,662	65.9 (25)	1,125	22.9 (42)	1,127	10.9 (60)	676	14.8 (28)	665	8.1 (21)	1,284	79.7 (43)	2,716	22.2 (30)
Florence	80	* *	59	* *	58	* *	30	* *	34	* *	79	* *	148	26.4 (53)
Fond du La	1,451	66.9 (22)	881	25.4 (25)	924	14.0 (38)	572	19.2 (15)	578	9.7 (10)	1,142	82.3 (31)	2,375	13.5 (1)
Forest	255	48.6 (69)	159	14.5 (70)	177	6.2 (69)	112	7.1 (59)	103	1.9 (62)	254	70.9 (68)	451	33.7 (69)
Grant Cty	862	61.7 (42)	624	24.2 (32)	635	13.4 (43)	305	16.1 (26)	325	6.2 (35)	685	87.2 (9)	1,455	22.0 (28)
Green Cty	572	57.7 (54)	369	24.1 (35)	375	17.3 (20)	251	16.3 (24)	237	5.9 (37)	346	85.5 (14)	826	28.1 (59)
Green Lake	298	49.7 (67)	184	28.8 (13)	198	28.8 (3)	94	* *	95	* *	183	67.8 (70)	442	24.2 (46)
Iowa Cty	284	68.7 (14)	173	25.4 (25)	157	19.7 (10)	116	19.0 (16)	111	9.0 (16)	163	82.2 (32)	433	26.6 (54)
Iron Cty	73	* *	59	* *	51	* *	37	* *	34	* *	63	* *	123	22.8 (33)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 3  
Run Date: 8 / 24 / 07

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Jackson	471	74.7 (2)	300	23.7 (37)	309	16.8 (24)	177	21.5 (7)	182	9.3 (12)	451	84.5 (17)
Jefferson	1,347	71.5 (7)	996	28.5 (15)	878	15.8 (29)	531	10.0 (49)	499	7.0 (26)	1,005	83.2 (22)
Juneau	532	65.6 (27)	368	22.3 (46)	356	13.5 (40)	201	14.4 (30)	215	5.1 (42)	432	84.3 (19)
Kenosha	3,238	54.5 (62)	1,669	18.5 (66)	1,779	10.1 (65)	948	12.0 (40)	918	4.9 (47)	2,313	79.6 (45)
Kewaunee	217	68.2 (17)	164	23.8 (36)	167	16.2 (25)	93	* *	98	* *	188	76.6 (56)
La Crosse	1,785	67.4 (20)	1,162	27.0 (20)	1,129	15.9 (27)	673	16.2 (25)	678	6.2 (35)	1,365	84.7 (16)
Lafayette	198	65.7 (26)	113	30.1 (10)	97	* *	75	* *	76	* *	123	79.7 (43)
Langlade C	395	51.9 (66)	261	18.0 (68)	259	15.1 (36)	157	9.6 (52)	153	3.3 (58)	289	79.6 (45)
Lincoln Ct	378	54.0 (64)	234	25.6 (24)	207	13.5 (40)	114	25.4 (2)	113	10.6 (7)	281	82.2 (32)
Manitowoc	1,145	56.2 (59)	757	27.2 (19)	798	20.2 (9)	491	12.2 (38)	481	6.9 (27)	921	71.0 (67)
Marathon C	1,891	54.8 (61)	1,177	19.7 (64)	1,117	12.5 (52)	604	14.7 (29)	596	5.5 (38)	1,422	78.1 (51)
Marinette	771	45.9 (70)	527	23.1 (41)	567	18.2 (17)	336	5.4 (62)	338	3.0 (59)	604	82.6 (27)
Marquette	157	58.6 (51)	101	36.6 (5)	103	29.1 (2)	46	* *	45	* *	105	76.2 (58)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 4  
Run Date: 8 / 24 / 07

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Menominee	318	66.4 (24)	182	25.3 (27)	199	11.6 (58)	91	* *	94	* *	305	87.5 (8)	530	27.4 (56)
Milwaukee	28,497	57.4 (56)	17,327	22.0 (50)	18,223	13.4 (43)	10,550	7.9 (57)	10,541	3.7 (53)	21,048	74.8 (63)	45,241	21.4 (24)
Monroe	794	70.8 (9)	477	27.7 (17)	494	17.4 (19)	232	11.6 (44)	226	7.1 (25)	514	80.2 (42)	1,211	24.0 (44)
Oconto	446	49.3 (68)	294	19.0 (65)	284	8.5 (67)	178	8.4 (56)	174	4.6 (49)	344	75.3 (62)	739	27.1 (55)
Oneida	491	63.5 (34)	313	26.2 (23)	288	12.5 (52)	195	20.5 (11)	189	10.1 (8)	300	90.7 (3)	741	23.9 (43)
Outagamie	2,013	62.2 (40)	1,212	21.3 (58)	1,314	11.4 (59)	802	13.7 (33)	761	6.6 (32)	1,499	76.6 (56)	3,223	20.0 (16)
Ozaukee	417	65.0 (28)	259	22.0 (50)	266	12.8 (51)	191	20.9 (10)	182	9.3 (12)	276	75.4 (61)	609	20.7 (19)
Pepin	45	* *	26	* *	29	* *	10	* *	10	* *	59	* *	103	23.3 (34)
Pierce	491	59.7 (49)	337	22.8 (43)	348	10.6 (61)	196	11.7 (42)	191	5.2 (41)	407	86.5 (11)	828	21.5 (26)
Polk	721	69.2 (13)	435	23.4 (39)	443	10.6 (61)	243	17.3 (21)	233	6.9 (27)	434	79.3 (48)	1,092	23.8 (40)
Portage	891	62.6 (38)	570	33.2 (6)	542	24.7 (5)	334	16.8 (23)	315	9.8 (9)	660	88.6 (7)	1,466	16.7 (7)
Price	273	62.3 (39)	207	24.6 (30)	212	13.2 (48)	111	6.3 (61)	117	5.1 (42)	307	84.4 (18)	530	25.3 (49)
Racine Cou	3,905	54.4 (63)	2,284	22.2 (48)	2,274	17.0 (23)	1,337	7.3 (58)	1,293	3.6 (54)	2,623	72.9 (66)	6,107	21.0 (21)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 5  
Run Date: 8 / 24 / 07

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Richland C	241	70.1 (12)	145	15.9 (69)	132	8.3 (68)	105	14.3 (31)	105	2.9 (60)	155	77.4 (54)	383	23.8 (40)
Rock	3,300	55.0 (60)	1,960	18.4 (67)	1,989	12.0 (57)	1,081	6.4 (60)	1,050	3.4 (57)	1,974	86.7 (10)	4,887	22.1 (29)
Rusk	307	57.7 (54)	226	22.1 (49)	229	18.8 (13)	126	8.7 (54)	131	3.8 (52)	312	83.0 (23)	584	25.9 (52)
Sauk	1,045	74.7 (2)	704	29.8 (11)	642	16.2 (25)	425	21.2 (8)	411	10.9 (6)	677	89.1 (6)	1,671	48.5 (73)
Sawyer	428	59.3 (50)	310	22.6 (44)	304	18.4 (15)	174	12.1 (39)	172	3.5 (56)	340	82.6 (27)	760	27.5 (57)
Shawano	682	60.7 (46)	459	23.3 (40)	491	12.4 (54)	265	11.7 (42)	265	7.5 (23)	518	82.2 (32)	1,177	29.2 (65)
Sheboygan	1,774	63.0 (35)	1,068	24.2 (32)	1,136	14.0 (38)	819	9.9 (50)	794	5.3 (40)	1,231	77.6 (53)	2,713	21.3 (23)
St. Croix	882	68.5 (15)	549	29.3 (12)	528	15.9 (27)	383	20.4 (12)	350	9.1 (15)	558	73.3 (65)	1,343	18.4 (12)
Taylor	321	62.0 (41)	220	21.8 (53)	224	10.3 (63)	112	13.4 (34)	117	5.1 (42)	249	81.5 (37)	546	31.7 (68)
Trempealea	562	64.2 (30)	379	25.3 (27)	383	17.2 (21)	224	12.5 (35)	219	5.5 (38)	435	91.5 (2)	915	16.8 (8)
Vernon	468	70.5 (10)	320	31.3 (8)	328	17.1 (22)	174	16.1 (26)	177	11.3 (4)	417	89.4 (4)	814	14.4 (2)
Vilas	368	58.2 (53)	245	20.8 (60)	248	12.9 (50)	144	12.5 (35)	139	5.0 (46)	259	76.1 (59)	599	30.9 (67)
Walworth	1,600	74.2 (6)	1,049	30.9 (9)	943	17.7 (18)	604	24.2 (3)	570	8.4 (19)	987	81.9 (36)	2,434	16.5 (5)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7B**  
**2004 - 2006 Pediatric Nutrition Surveillance** (1)  
**Wisconsin**

Page: 6  
Run Date: 8 / 24 / 07

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County** (2)  
**Children Aged < 5 Years** (3)

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County**  
(4,5)

	Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
	(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)	
Washburn	307	63.8 (32)	214	28.5 (15)	211	13.3 (45)	133	17.3 (21)	134	6.7 (31)	243	85.2 (15)	491	20.8 (20)
Washington	1,097	68.3 (16)	670	24.3 (31)	714	15.5 (31)	456	20.0 (14)	446	9.2 (14)	726	81.4 (38)	1,711	21.1 (22)
Waukesha	2,194	68.2 (17)	1,320	27.0 (20)	1,205	15.3 (33)	767	14.0 (32)	735	8.6 (18)	1,293	78.8 (50)	3,207	18.4 (12)
Waupaca	655	59.8 (48)	392	19.9 (62)	406	13.5 (40)	231	10.4 (48)	221	2.7 (61)	432	81.0 (39)	1,009	28.6 (63)
Waushara C	350	58.6 (51)	225	42.7 (1)	219	41.6 (1)	98	* *	93	* *	238	70.6 (69)	557	21.9 (27)
Winnebago	2,088	59.9 (47)	1,342	21.7 (54)	1,223	13.3 (45)	888	11.9 (41)	855	6.9 (27)	1,441	79.5 (47)	3,256	24.0 (44)
Wood	1,178	52.5 (65)	694	22.6 (44)	658	19.1 (12)	364	21.2 (8)	352	6.8 (30)	842	78.0 (52)	1,831	24.4 (47)
Unknown Counties	1,745	68.0 (19)	1,354	27.0 (20)	1,597	18.3 (16)	603	8.5 (55)	668	4.8 (48)	118	74.6 (64)	2,656	23.6 (37)
Wisconsin	96,979	61.3	60,730	24.3	61,664	14.9	36,177	12.2	35,606	5.9	70,201	79.0	154,497	21.9

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in

(6) the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) Children ages 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.